prc-saltillo

1022 Heyl Road | Wooster, OH 44691
Phone 800.262.1984 | Fax 330.263.4829
prc-saltillo.com

MOUNTING SELECTION SHEET

CLIENT: *The client is the person who will be receiving the equipment or services.* (NOT FOR RENTAL. PURCHASE ONLY FORM)

Client Last Name: _____ First Name: _____

Make/Model of Wheelchair: _____ Device/Access Method: _____

CONTACT PERSON: *Contact person is the person who would address any questions related to this Selection Sheet.*

Contact Last Name: _____ First Name: _____

Contact Information (phone/email): _____

All PRC-Saltillo stocked mounts are manufactured by Rehadapt. If you are requesting a mount **NOT** on this form (either from Rehadapt or another manufacturer), please attach a quote for that mount. Note: custom ordered mounts **cannot** be returned or exchanged.



A **mount plate** is included with Genesis 16, Genesis 13, Accent 1400®, Accent 1000 with Look®, and standard mount orders for a specificed device. Select the device you will be using with this mount so we can be sure to send you the correct mount plate. If your device is not listed or a mount plate is not needed, please select "None of the above" or contact your consultant for more options. *Custom mount orders do not include a mount plate, but it may be purchased separately.*

- ☐ Accent 800
- ☐ Accent 1000 (without Look)
- ☐ NovaChat 8
- ☐ NovaChat 10
- ☐ Via Mini
- ☐ Via Pro
- ☐ None of the above

Step A

if only selecting wheelchair mounts, skip Step A and continue to Step B


Floorstands (E2512)



☐ **Pentalock Tele**
includes counterweight



☐ **TeleLock**



☐ **VarioLock Quickpack**
☐ add Floating and Quickpack option*

Table stands & clamps (E2512)



☐ **TS-XL**



☐ **TS-GO**



☐ **TS-UC**



☐ **ClampOnMount**

All Purpose Mounts (E2512) are available to accommodate variable or complex positioning of your speech-generating device in multiple locations such as wheelchair and bed/chair/floor/etc. The VarioLock with floating/quickpack option are not available for the All Purpose Mount. For pricing, configuration, and availability, contact your PRC-Saltillo consultant or the Funding Department.

**Due to the cost of this product, it may not be available for all funding sources. Contact the Funding Department with questions.*

prc-saltillo

1022 Heyl Road | Wooster, OH 44691
Phone 800.262.1984 | Fax 330.263.4829
prc-saltillo.com

MOUNTING SELECTION SHEET

CLIENT: *The client is the person who will be receiving the equipment or services.*

Client Last Name: _____ First Name: _____

Contact Last Name: _____ First Name: _____

Step B

continue to Step C if selecting wheelchair mounts

Wheelchair Mounts and Tubing Size (E2512)

F = frame tube, V = vertical tube, H = horizontal tube



☐ **RM-2**
two tubes

Size options in inches
Vertical: 12, 16, 20, 24
Horizontal: 8, 12, 16

V	H



☐ **RM-3**
three tubes

Size options in inches
Frame: 8, 12
Vertical: 12, 16, 20, 24
Horizontal: 8, 12, 16

F	V	H



Horizontal and vertical tubes are 5/8" in diameter

☐ **RM-3-Hybrid****
thinner end tubes

Size options in inches
Frame: 8, 12
Vertical: 12, 16
Horizontal: 8, 12, 16

F	V	H

***Use RM3-Hybrid with Accent 800, NovaChat® 8, and Via® Mini. Hybrids are light weight mounts. Consider RM-2 and RM-3 for greater support and stability.*




☐ **RM-3-HD**
double base tube

Size options in inches
Vertical: 12, 16, 20, 24
Horizontal: 8, 12, 16

V	H



☐ **RM-S**
curved main tube



Curved tube - choose one
☐ Small (offset 6", height 26")
☐ Medium (offset 9", height 30")
☐ Large (offset 12", height 34")
Horizontal tube (H) - choose one
☐ Ship standard tube length (16")
☐ Replace horizontal tube (12")

Larger offset will set the device further from the client.

Wheelchair mounts are complex. We can help! If you have questions about a specific mount and/or frame clamp, please email mounting@prc-saltillo.com with front, back, left, and right side pictures of your wheelchair and they can assist you.

prc-saltillo

1022 Heyl Road | Wooster, OH 44691
Phone 800.262.1984 | Fax 330.263.4829
prc-saltillo.com

MOUNTING SELECTION SHEET

CLIENT: *The client is the person who will be receiving the equipment or services.*

Client Last Name: _____ First Name: _____

Contact Last Name: _____ First Name: _____

Step C

Frame clamps


Select one clamp, regardless of wheelchair mount.

for round tubes



☐ round	7/8"	--
☐ round	1"	☐ side
☐ round	1 1/8"	--
☐ round	1 1/4"	--
☐ round	1 3/8"	--

for rectangular tubes




large	☐
small	☐

for T-nut rails



Quantum/Invacare	☐
Quickie	☐
Permobil	☐

for frame with holes



M6/M8 Thread (~1/4" and 5/16")	☐


Additional frame clamp required? *Please specify from the list above. For a quick and easy switch between two wheelchairs, we recommend the Base Coupler Option (see below).*

Other frame clamps *If the frame clamp you would like is not listed, please note the frame clamp name/info along with the make/model of your chair and email our mounting team at mounting@prc-saltillo.com.*

Step D optional

Additional options available at an additional cost (E2512)

May not be available for all funding sources.



☐ **Base Coupler Option**
Coupler with a quick release mechanism to remove the entire mount directly at the wheelchair frame



☐ **Second Coupler**
Add a Second Coupler half for second wheelchair

Fold Down Joint Option *for quick folding of mount*
☐ left side • right side ☐
Left and right is from perspective of person in wheelchair. Fold Down NOT available for hybrids.





Universal Quick Shift Joint
Included *if Fold Down Joint option is not selected above*

Offset Spacers *for additional clearance when mounting around obstacles*
☐ 1" Spacer QTY: _____
☐ 1 1/2" Spacer QTY: _____

